


形状・寸法
Shapes and dimensions



| 形状 Type | 寸法 Dimension(mm) | | | | | | | | | | | | | | No. of terminal pins | コア方向*2 Core direction | 適合コア Applied core | |
|------------|------------------|-----------|-------------|-------------|-------------|-------------|-----------|-----------|-----------|-----|-----|------|-------|-----|----------------------------|-----------------------------|----------------------|-----------|
| | A max. | B max. | C*1 min. | D*1 min. | E*1 max. | F*1 max. | G max. | H min. | J min. | P1 | P2 | P0 | ød | L | | | EE core | EI core |
| BE8,3KP6 | 8.1 | 7.7 | 4.05 | 2.05 | 5.7 | 5.7 | 8.1 | 1.3 | 4.6 | 2.5 | 2.5 | 6.0 | □0.4 | 3.7 | 3-3 | V | EE8,3 | |
| BE10,2KP8 | 10.3 | 9.1 | 5.15 | 2.65 | 7.3 | 8.0 | 10.3 | 1.8 | 6.6 | 2.5 | 2.5 | 8.0 | □0.49 | 3.7 | 4-4 | V | EE10,2 | |
| BE12,5LP10 | 12.5 | 8.3 | 5.3 | 2.7 | 8.6 | 4.8 | 12.5 | 2.3 | 3.3 | 2.5 | 2.5 | 7.5 | □0.49 | 4.0 | 5-5 | V | EI12,5 | |
| BE13KP10 | 12.2 | 10.4 | 6.4 | 3.0 | 10.0 | 8.9 | 12.7 | 2.9 | 7.3 | 2.5 | 2.5 | 8.5 | □0.49 | 3.7 | 5-5 | V | EE13D | |
| BE16AP10 | 16.2 | 13.9 | 5.0 | 4.25 | 11.6 | 9.9 | 13.2 | 2.9 | 8.0 | 3.3 | 3.3 | 10.5 | 0.6 | 5.5 | 5-5 | V | EE16A | EI16 |
| BE19NP8 | 19.1 | 16.5 | 5.4 | 4.9 | 14.1 | 10.7 | 15.1 | 3.4 | 8.4 | 5.0 | 5.0 | 10.0 | 0.6 | 4.0 | 4-4 | V | EE19A | EI19, 20K |
| BE22KP8 | 22.2 | 16.4 | 6.1 | 6.1 | 15.2 | 10.3 | 17.2 | 3.6 | 8.4 | 5.0 | 5.0 | 12.5 | 0.8 | 6.0 | 4-4 | V | EE22A | EI22, D |
| BE22NP8 | 22.2 | 27.7 | 6.2 | 6.2 | 15.3 | 20.6 | 17.2 | 3.3 | 18.3 | 5.0 | 5.0 | 12.5 | 0.8 | 4.0 | 4-4 | V | EE22B, K | |
| BE25NP8 | 25.0 | 19.3 | 7.3 | 7.1 | 17.6 | 11.9 | 17.7 | 4.1 | 9.6 | 5.0 | 5.0 | 12.5 | 0.8 | 3.5 | 4-4 | V | | EI25D |
| BE25PP11 | 26.5 | 16.9 | 7.2 | 7.1 | 18.0 | 11.9 | 19.2 | 4.5 | 9.9 | 4.5 | 5.5 | 15.6 | 0.8 | 6.0 | 6-5 | V | | EI25D |
| BE28PP10 | 26.0 | 20.6 | 11.4 | 7.8 | 18.2 | 11.8 | 22.0 | 4.1 | 9.8 | 5.0 | 5.0 | 17.5 | 0.8 | 3.5 | 5-5 | V | EE28S | EI28 |
| BE30KP12 | 30.2 | 24.7 | 11.3 | 11.1 | 19.8 | 15.8 | 26.2 | 3.0 | 13.4 | 5.0 | 5.0 | 20.0 | 0.8 | 5.0 | 6-6 | V | EE30A | EI30 |
| BE30NP10 | 30.2 | 24.7 | 11.3 | 11.2 | 19.2 | 15.6 | 25.0 | 2.7 | 13.6 | 5.0 | 5.0 | 20.0 | 0.8 | 7.0 | 5-5 | V | EE30A | EI30 |
| BE30AP12 | 30.2 | 47.7 | 11.1 | 11.1 | 19.5 | 32.0 | 26.6 | 3.1 | 13.0 | 5.0 | | 40.0 | 0.8 | 5.5 | 6-6 | H | EE30B | |
| BE33KP10 | 26.2 | 23.0 | 13.2 | 10.2 | 22.8 | 18.3 | 28.2 | 5.3 | 16.3 | 5.0 | 5.0 | 22.5 | 0.8 | 7.5 | 5-5 | V | EE33K | EI33,E |
| BE33MP12 | 33.2 | 28.8 | 13.3 | 10.3 | 23.2 | 18.7 | 28.2 | 5.3 | 16.5 | 5.0 | 5.0 | 22.5 | 0.8 | 7.0 | 6-6 | V | EE33K | EI33E |
| BE35LP10 | 32.2 | 26.7 | 10.5 | 10.5 | 23.9 | 17.8 | 25.7 | 5.5 | 15.0 | 5.0 | 5.0 | 20.0 | 0.8 | 7.0 | 5-5 | V | EE35A | EI35A |
| BE35NP12 | 30.2 | 24.7 | 10.5 | 10.5 | 24.2 | 17.5 | 25.2 | 5.6 | 15.3 | 5.0 | 5.0 | 20.0 | 0.8 | 7.0 | 6-6 | V | EE35A | EI35A |
| BE40KP12 | 32.1 | 32.5 | 12.2 | 12.2 | 27.2 | 19.9 | 28.2 | 6.3 | 17.6 | 5.0 | 5.0 | 22.5 | 0.8 | 5.0 | 6-6 | V | EE40A | EI40 |
| BE40MP12 | 32.1 | 32.5 | 12.2 | 12.2 | 27.2 | 19.9 | 28.2 | 6.3 | 17.6 | 5.0 | 5.0 | 25.0 | 0.8 | 5.0 | 6-6 | V | EE40A | EI40 |
| BE40NP12 | 36.0 | 30.7 | 12.2 | 12.2 | 26.5 | 19.7 | 30.2 | 6.6 | 17.2 | 5.0 | 5.0 | 25.0 | 0.8 | 7.0 | 6-6 | V | EE40E | EI40 |
| BE40AP12 | 36.2 | 59.2 | 12.0 | 12.0 | 27.0 | 40.6 | 35.6 | 6.3 | 37.8 | 6.0 | | 50.0 | 1.0 | 5.5 | 6-6 | H | EE40H | |
| BE44LP16 | 40.0 | 34.0 | 15.3 | 12.4 | 30.6 | 22.8 | 34.0 | 8.0 | 19.9 | 5.0 | 5.0 | 27.5 | 1.0 | 4.5 | 8-8 | V | EE44E | EI44 |
| BE50MP12 | 50.2 | 36.8 | 15.2 | 15.2 | 33.3 | 24.1 | 36.3 | 7.9 | 21.1 | 7.5 | 7.5 | 27.5 | 1.0 | 9.0 | 6-6 | V | EE50A | EI50 |
| BE60LP12 | 56.2 | 38.8 | 16.5 | 16.5 | 43.5 | 27.2 | 45.2 | 12.2 | 23.7 | 7.5 | 7.5 | 35.0 | 1.0 | 5.0 | 6-6 | V | EE60A | EI60 |

*1 コア勘合面 *2 V=縦使用 Vertical use、H=横使用 Horizontal use