


形状・寸法／特性

Shapes and dimensions/Characteristics



形状 Type	寸法 Dimensions(mm)							
	A	2B	B	C	øD	E min.	2F min.	F
EERS-16K	16.3±0.4	15.0	7.50±0.20	5.00±0.30	4.93±0.23	11.5	10.3	5.35±0.20
EERS-22K	22.0±0.4	22.5	11.25±0.3	6.65±0.25	6.65±0.25	15.5	14.2	7.25±0.15
EERS-22D	22.0±0.3	29.4	14.7±0.15	6.65±0.15	6.65±0.10	15.5	21.1	10.7±0.15
EERS-35K	35.35±0.35	33.6	16.8±0.25	11.3±0.15	11.3±0.25	26.0	21.2	10.8±0.2

形状 Type	Al. value(nH/N²)±25%				コア定数 Core parameters					Weight (g/set)
	MB1H	MB3	MB4	MBT1	C <sub>1</sub> (mm <sup>-1</sup> )	Le(mm)	Ae(mm²)	Amin(mm²)	Ve(mm³)	
EERS-16K	870	1250	1250	1580	1.73	35.6	20.6	19.1	732	3.9
EERS-22K	1290	1900	1900	2380	1.22	49.1	40.1	34.7	1970	10.9
EERS-22D	1040	1500	1500	1960	1.60	62.8	39.3	34.7	2470	13.5
EERS-35K	2410	3610	3610	4580	0.695	75.6	109	100	8220	44.7